3. Tenders are to be superscribed "Tenders for the supply of Milk and Curds to the Sree Narasimharaja Hostel, Bangalore."

4. No tender will be received unless accompanied by a deposit of Rs. 10 in cash or currency notes.

5. All tenderers must specify in words and figures, the rates at which each item will be supplied in seers per rupee.

6. Tenders will be opened by the President in the presence of two of the Committee members and such of the tenderers as may choose to be present, at the hostel. The exact date of opening the tenders will be notified to the tenderers.

7. The Managing Committee of the hostel reserve the right of rejecting any tender without assigning any reason for such rejection.

8. The deposit of the successful tenderer will be forfeited, if he fails to execute the contract bond within seven days from the date of acceptance of his tender. The deposits of unsuccessful tenderers will be refunded.

9. The probable quantity of Curds required will be from 7 to 10 seers daily, it must be supplied by 8 A.M. every day, but the quantity cannot be guaranteed.

10. Only pure and unadulterate curds and milk after inspection and approval by the Warden will be accepted. Curds or milk rejected should be replaced within one hour of rejection and the decision of the President shall be final in all matters concerning the quantity of curds.

11. The contractor should submit his bills in duplicate in English or Kannada for the cost of all the articles supplied on the first of the ensuing month.

12. No advance of cash will be made to the contractor. Payments for the articles supplied will be made by the Warden in charge of the hostel on the production of a bill in duplicate in the prescribed form by the contractor.

13. A fine not exceeding Rs. 3 will be levied at the discretion of the President for every infringement of the stipulation by the contractor. If the stipulation of the contract be frequently violated, the President will annul the contract, and the earnest maney deposited will be forfeited to Government.

14. The decision of the President shall be final in all matters of the infringement of contract.

15. The contractor will also be bound to make good to Government any loss which may arise from his failure or by the Warden having to purchase the articles specified in the contracts in the local markets at higher rates than those contracted for.

16. Any other articles not mentioned in the list, if required by the Warden, will have to be supplied by the contractor at market rates.

S. P. CHINNAPPA,
President.

ELECTRICAL DEPARTMENT.

OFFICE OF THE CHIEF ELECTRICAL ENGINEER IN MYSORE, BANGALORE.

Abstract Notification No. G. N. 8, dated 16th April 1937.

Attention of firms dealing in electrical goods is invited to page No. 584 of Part VI of the *Mysore Gazette*, dated 22nd April 1937, wherein tenders are called for the supply of Time Switches, 10 amperes, 'Venner' type.

Last date for receipt of tenders is 11th May 1937, 12 NOON.

Abstract Notification dated 22nd April 1937.

The attention of the public is invited to Notification No. G. N. 9 of this Department published on page 635 of Part VI of the *Mysore Gazette*, dated the 29th April 1937.

Notification No. G. N. 10, dated 1st May 1937.

Sealed tenders will be received in the Office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, up to 12 NOON on Monday the 24th May 1937, for the supply of the following materials :—

200 lengths of Angle Iron 2"×¼" (Tatas make) in standard lengths of 18 to 20-ft.
2 cwts. of Tin Ingots pure Penang.

The above are required to be delivered f.o.r., Mysore.

Time of delivery should be noted in the tender and the cover should be superscribed "Tender to be opened at 12 NOON on 24th May 1937".

Enquiry No. G. N. 11.

To

Hardware Merchants.

Gentlemen,

Please quote your lowest price for the supply of the following, to be delivered *f.o.r.*, Bangalore, and state whether your offer is for supply from ready stocks or otherwise: —

(1) Lengths 167 .. Angle Iron 2″×2″×¼″, M.S., untested, in standard lengths of 20 feet each

Alternatively

Lengths 193 .. Angle Iron M.S., 2″×2″×¼″, untested, in standard lengths of 18 feet each.

(2) Lengths 106 .. Angle Iron M.S., 2½″×2½″×⅜″. untested, in standard lengths of 20 feet each.

The last date for receiving tenders is 26th May 1937, 12 NOON.

Please send your tender superscribed "Tender for Angles to be opened on 26th May 1937, at 12 NOON."

A. C. MUNIRATNAM,
For *Chief Electrical Engineer.*

OFFICE OF THE SUPERINTENDENT, POWER & LIGHTING, MYSORE.

Abstract Notification dated 9th April 1937.

The attention of the public is invited to the detailed Notification of date calling for tenders for the installation of Electric Lights to the Railway Station, Hassan, Mysore Railways, published in pages 635-637 of Part VI of the *Mysore Gazette*, dated 29th April 1937.

Notification dated the 21st April 1937.

Sealed tenders, in triplicate, will be received at the Office of the Superintendent, Power and Lighting, Mysore.

Tenders should be superscribed with the name of the work given below.

2. The plans may be seen in the Office of the undersigned at all working hours.

3. The tenders should be drawn up in conformity with the detailed specification furnished, at the same time writing out the rates at which each item of work will be executed in figures *as well as in words*, failing which no cognisance will be taken of the tender.

4. The undersigned reserves the right to reject the tenders without assigning any reason therefor.

5. The successful tenderer will be required to deposit with the undersigned an earnest money of Rupees Two Hundred and Fifty (Rs. 250) and execute an agreement within three days from the date of receipt of information as to the acceptance of the tender, failing which the tender will be disposed of otherwise.

6. Materials to be used on the work should be of best quality English or American manufacture and conform to the specifications.

7. The Teakwood planks to be used for boards and other purposes should be free from cracks and knots and well seasoned. No planks less than 12″ in width should be used for boards (front or rear) unless it is to make up the difference in size of the boards required. In all such cases lap joints should be adopted.

8. The wiring in general should be executed strictly in accordance with the wiring rules of this Department as well as that of Institution of Electrical Engineers.

9. No item other than those noted in the statement below should be included in the tender, as the items include provision for all sundries, masonry repairs and painting the exterior of the casing and other parts of the wiring to suit the surroundings, etc.

10. The control switches and fan regulators are required to be grouped in inconspicuous corners of the building. The successful tenderer should carry out any small deviations in the location of the lighting and other fixtures, switch points, etc., not affecting the estimate materially without any extra cost. A board consisting of samples of all meterials to be used on the work should be sent to this office and work started on getting approval of the undersigned for the same. The undersigned reserves the right to reject the work in full or a portion of it if he finds the work not executed satisfactorily in terms of the specifications.

11. *Name of work.*—"Installing Electric Lights, etc., to the New Railway Offices (Central Block), Mysore."

12. Last date and time for receiving the Tenders is 14th May 1937 at 3 P.M.

13. Time and date for opening the tenders in public is at 4-30 P.M. on 12th May 1937.

14. The time allowed for completion of the work is 8 weeks (Eight Weeks) from the date of acceptance of the tender, failing which a penalty of two annas for each day's delay over and above the stipulated time will be enforced.

15. Details of work.

Part I. Mains and Sub-Mains.

		Quantity.
1.	Supplying and laying No. 6 B. and S. twin conductor V.I.R. or V.C. insulated lead covered, double steel tape armoured, jute served underground cable in a trench 3 ft. deep surrounding the cable with 3" of fine sand, enclosing the ends of the cable in pole and indoor type cast iron junction boxes filled with insulating compound enclosing the portion of the cable running along the tapping pole in 30 ft. of 2" diameter galvd. pipe supported with 6 flat iron clamps, using No. 6 B. and S., 2500-Megohm grade insulated wire and accessories	Ft. 300 in one full length.
2.	Running single phase mains in 1" W.I. pipe with bends and clamps, etc., using No. 6 B. and S. 2500-Megohm grade insulated wires and accessories	R.ft. 35
3.	Running single phase sub-mains in ¾" W.I. pipe with bends and clamps, etc., using No. 8 B. and S. 2500-Megohm grade insulated wires and accessories	„ 50
4.	Supplying, fixing and wiring, S.P. Iron-clad cut-outs 30-Amps. with fuses (similar to G.E.C. Cat. No. Y. 2054) on the board available using No. 8 B. and S. 2500-Megohm grade insulated wire and accessories	No. 4
5.	Earthing the cable armouring, main and sub-main piping, iron clad switches, cut-outs, etc.	Item.

Part II. Interior Wiring—Ground Floor.

1.	Supplying, fixing and wiring teakwood board 30" by 21" made of 1" thick planks with teakwood battens 2"×1" and rear board ½" thick equipping it with a double pole single throw iron clad switch 30-amps, with fuses, one 6-way double pole Home-Office pattern 10-amp. per way distribution board with solid front similar to G.E.C. Cat. No. S-336 with 10-amp. single pole 10-amps. Circuit switches with bakelite cover similar to G.E.C. Cat. No. S. 295 using Nos. 6, 8 and 12 B. and S. 2500-Megohm grade insulated wires and accessories	One
2.	Supplying, fixing and wiring in teakwood two-way 2"×1" casing treated with two coats of *Shellac varnish* with capping for Trojan fittings, suspension type complete with top and bottom canopies, standard length of chain, flexible cord, B.C. lamp holder, 9" glass ware, using 2-plate bakelite ceiling rose, 5-amp. S.P. control switches similar to G.E.C. Cat. No. S-26, Nos. 12 and 14 B. and S. 2500-Meg. grade insulated wires for mains and taps respectively and accessories	No. 9
3.	Supplying, fixing and wiring in teakwood two-way 2"×1" casing treated with 2-coats of *Shellac varnish* with capping for Trojan fittings, ceiling type, complete with canopy, flange, B.C. lamp-holder, flexible cord, 9" glass ware using 2-plate bakelite ceiling rose 5-amps. S.P. control switches similar to G.E.C. Cat. No. S-26, Nos. 12 and 14 B. and S. 2500-Megohm grade insulated wires for mains and taps respectively and accessories ..	„ 5
4.	Supplying, fixing and wiring in teakwood two-way 2"×1" casing treated with 2 coats of *Shellac varnish* with capping for Trojan fittings ceiling type complete with canopy flange, B.C. lamp-holder, flexible cord, 12" glass ware, using 2-plate bakelite ceiling rose, 5-amps. S.P. control switch similar to G.E.C. Cat. No. S-26, Nos. 12 and 14 B. and S. 2500-Megohm grade insulated wires for mains and taps respectively and accessories ..	„ 3
5.	Supplying, fixing and wiring in teakwood two-way 2"×1" casing treated with 2 coats of *Shellac varnish* with capping for Benflux fittings complete with shade, B.C. lamp-holder, etc., using 2 plate bakelite ceiling rose, flexible cord, 5-amps. S.P. control switch similar to G.E.C. Cat. No. S-26, Nos. 12 and 14 B. and S. 2500-Megohm grade insulated wires for mains and taps respectively and accessories	„ 4

		Quantity.
6.	Supplying, fixing and wiring in teakwood two-way 2″×1″ casing treated with 2 coats of *Shellac varnish* with capping for "Bharat" Ceiling fans 60 Cycles, 230 Volts, 3 curved blades 56″ sweep complete with canopy down rod 5-point variable speed regulator, using 2-plate bakelite ceiling rose, Nos. 12 and 14 B. and S. 2,500-Megohm grade insulated wires for mains and taps respectively and accessories .. .. .. „	4
7.	Supplying, fixing and wiring in teakwood 2-way 2″×1″ casing treated with two coats of *Shellac varnish* with capping for combined wall plug and switch 5-amps. with nipple similar to G.E.C. Cat. No. S-465 using Nos. 12 and 14 B. and S. 2,500-Megohm grade insulated wires for mains and taps respectively and accessories .. .. No.	11
8.	Supplying and fixing lamps 150-watts. 230-V.B.C. gas filled .. .. „	3
9.	Supplying and fixing lamps 100-watts, 230-Volts, B.C. gas filled .. .. „	14
10.	Supplying and fixing lamps 60-watts, 230-Volts B.C. gas filled .. .. „	4

Part III. Interior Wiring—First Floor.

Items 1 to 10. Items and specifications exactly as in *Part II. Ground Floor.*

Part IV. Interior Wiring—Second Floor.

1.	Supplying, fixing and wiring teakwood board 24″×18″made of 1″ thick plank with teakwood battens 2″×1″ and rear board ½″ thick, equipping it with a double pole single throw iron clad switch 30-amps. with fuses, one 6-way double pole Home-Office Pattern 10-amp. per way distribution board with solid front, similar to G.E.C. Cat. No. S-336 with 10-amp. single pole circuit switches with bakelite cover similar to G.E.C. Cat. No. S-265 using Nos. 8 and 12 B. and S. 2,500-Megohm grade insulated wires and accessories .. .. No.	One
2.	Supplying, fixing and wiring in teakwood 2-way 2″×1″ casing treated with 2-coats of *Shellac varnish* with capping for Trojan Fittings, suspension type complete with top and bottom canopies standard length of chain, flexible cord, B.C. lamp holder, 9″ glass ware, etc., using 2-plate bakelite ceiling rose, 5-amp. single pole control switches similar to G.E.C. Cat. No. S-26 and Nos. 12 and 14 B. and S. 2,500-Megohm grade insulated wires for mains and taps respectively and accessories .. .. .. „	18
3.	Supplying, fixing and wiring in teakwood 2-way 2″×1″ casing treated with 2 coats of *Shellac varnish* with capping for trojan fittings, ceiling type complete with canopy, flange, flexible cord, B.C. lamp holder, 9″ glass ware, etc., using 2-plate bakelite ceiling rose, 5-amp. single pole control switch similar to G.E.C. Cat. No. S-26, Nos. 12 and 14 B. and S. 2,500-Megohm grade insulated wires for mains and taps respectively and accessories .. .. No.	One
4.	Supplying, fixing and wiring in teakwood 2-way 2″×1″ casing treated with two coats of *Shellac varnish* with capping for Trojan Fittings, ceiling type complete with canopy, flange, flexible cord B.C. lamp holders, 12″ glass ware, etc., using 2-plate bakelite ceilng rose, 5-amp. single pole control switch similar to G.E.C. Cat. No. S-26, Nos. 12 and 14 B. and S. 2,500-Megohm grade insulated wires for mains and taps respectively and accessories .. .. „	3
5.	Supplying, fixing and wiring in teakwood 2-way 2″×1″ casing treated with two coats of *Shellac varnish* with capping for "Bharat" ceiling fans 60-Cycles, 230-Volts, 3-curved blades, 56″ sweep complete with canopy, down rod, 5-point variable speed regulator, using 2-plate bakelite ceiling rose, Nos. 12 and 14 B. and S. 2,500-Megohm grade insulated wires for mains and taps respectively and accessories .. .. .. „	4
6.	Supplying, fixing and wiring in teakwood two-way casing 2″×1″ treated with 2 coats of *Shellac varnish* with capping for combined wall plug and switch with nipple 5-amps. similar to G.E.C. Cat. No. S-465 using Nos. 12 and 14 B. and S. 2,500-Megohm grade insulated wires for mains and taps respectively and accessories .. .. „	11
7.	Supplying and fixing lamps 150-watts, 230-Volts, B.C. gas filled .. .. „	3
8.	Supplying and fixing lamps 100-watts, 230-Volts, B.C. gas filled .. .. „	19

Abstract.

Part I	..	Rs.
Part II	..	Rs.
Part III	..	Rs.
Part IV	..	Rs.
Total	..	Rs.

M. HAYATH,
Superintendent.

OFFICE OF THE HUZUR SECRETARY TO H. H. THE MAHARAJA OF MYSORE.

Notice dated 24th April 1937.

Tenders are invited for the supply of cloths, as per list below, required for the Dasara Annual Clothing of the Palace servants for 1937.

1. Every tender should be accompanied by a deposit of Rs. 50 in Currency Notes and samples of the articles to be supplied. It should be sent so as to reach the Palace Treasurer not later than the 25th May 1937. If the tender is accepted and the tenderer fails to undertake the contract, he will forfeit the deposit. If the tender is not accepted, the deposit will be returned to the tenderer.

2. Tenderers need not necessarily include all kinds of cloths noted below. Tenders for any number out of those included in the list will be entertained.

3. The name of the successful tenderer will be notified in due course at the Palace Treasury, and he will be required to deposit as security one-tenth of the value of the articles to be supplied and to execute an agreement for the fulfilment of the contract for the supply required.

4. Should the contractor fail to comply with any of the conditions detailed above, the contract will be forthwith cancelled and the deposits credited to Palace.

5. The Huzur Secretary reserves to himself the right of accepting or rejecting any tender without assigning any reason therefor.

Articles required.

	Name of article	Per	Probable quantity required
1.	Bleached Long Cloth, A. I. Horrockses Miller & Co., (40 yds. per piece).	Piece	10
2.	White Bleached Drill W.B.D.I. Binny (40 yds. per piece)	"	250 (Two hundred and fifty pieces.)
3.	Unbleached Long Cloth No. 1122, Mysore Spinning and Manufacturing Co. (40 yds. per piece).	"	10
4.	Red Pugri Cloth 32" B—1840 full pressed bales of 1,700 yds. each of Messrs. The Spinner & Co., Bombay..	"	Two full pressed bales of 1,700 yds. each.
5.	Khaki drill B 11 C 600 (Karnatic Mill) 40 yds. per piece	Yard	2,400 yds. Two thousand and four hundred yds.
6.	White Mull No. 1702 (20 yds. per piece) ..	Piece	10 pieces
7.	White Mull 1703, 20 yds. piece	"	20 (Twenty pieces)

Note.—Full quantities should be supplied before 15th June 1937.

M. RAMA RAO,
For *Huzur Secretary.*

To

THE PALACE TREASURER, MYSORE.

SIR,

I-We offer to supply the articles, according to the sealed sample sent to the Palace Treasury, Mysore, at the rates given in the accompanying list. The articles will be delivered at the Railway Station, Mysore, *i.e.*, (F.O.R.) Mysore, within 15 days from the date of communication of acceptance of tender.

Currency Notes to the value of Rs. 50 (rupees fifty) only are herein enclosed as earnest money.

Yours faithfully,

.....

OFFICE OF THE SUPERINTENDENT OF POST OFFICES, MYSORE DIVISION.

Notice.

Sealed tenders are invited for the conveyance of mails by motor vehicles daily between French-Rocks R.S.-French-Rocks P.O. and Krishnarajapet P.O. throughout the year on a fixed monthly subsidy for a period of two years and eight months commencing from the 1st November 1937. For further particulars apply to the undersigned.

G. COMBES,
Superintendent of Post Offices.

MYSORE RAILWAYS.

OFFICE OF THE TRAFFIC MANAGER, MYSORE.

Auction Sale Notice, dated 24th April 1937.

Under Section 40 of the Mysore Railways Regulation No. 4 of 1894, all unclaimed articles in the Lost Property Office, Mysore, in possession of the Railway Administration over six months old will be disposed off by public auction at 9 A.M. on Saturday the 22nd May 1937, and subsequent day if necessary in the Mysore Goods-shed premises by the Railway authorities.

(1) The list of such articles in the Lost Property Office, Mysore, may be seen in the *Mysore Gazette* or had from the Station Master, Mysore. Articles will be available for inspection at the premises from 8 A.M. on the date of auction.

(2) The Officer conducting the auction sale does not bind himsef to accept the highest or any bid at all and it is open to him to cancel the auction for reasons found sufficient by him.

(3) The highest bidder whose bid is accepted should pay the full amount at once and immediately arrange to remove the articles failing which they will be re-auctioned at his risk. The list of articles is appended below :—

Parcels.

Sl. No.	Re-booking way bill		Stations		Description of articles
	No.	Date	From	To	
1	74	1-6-36	Mysore ..	Mysore L.P.O.	1 Alluminium vessel.
2	75	3-6-36	Do ..	Do ..	1 torn bed sheet.
3	76	5-6-36	Do ..	Do ..	1 brass lock (old).
4	77	6-6-36	Do ..	Do ..	1 old umbrella.
5	78	7-6-36	Do ..	Do ..	1 pair sandals.
6	79	,,	Do ..	Do ..	Do
7	83	,,	Bangalore City ..	Do ..	1 net bag with 1 shirt.
8	84	,,	Do ..	Do ..	1 pair old sandals.
9	85	,,	Do ..	Do ..	1 old bedding cloth.
10	86	,,	Do ..	Do ..	1 glass bottle.
11	87	,,	Do ..	Do ..	1 pair old sandals.
12	88	,,	Do ..	Do ..	1 net bag with 1 old shirt.
13	89	,,	Do ..	Do ..	1 bundle of 1 pair chapplis.
14	90	,,	Do ..	Do ..	1 old turban.
15	35	9-6-36	Hassan ..	Do ..	1 tin coffee powder.